






6 5 4 3 2 1





SECTION A-A
SCALE 5 : 1







PARTS LIST		
ITE	QTY	DESCRIPTION
1	1	BNC Body
2	1	Insulator
3	1	Rear Crimp Ferrule
4	1	Centre Contact
5	1	Crimp Sleeve

REV	DESCRIPTION	DATE	DESIGNER
1.0	Origin	07-Sep-16	P. Fayers

Design Right Protected  <small>Third Angle Projection</small>	Material: Brass/P.Bronze/PTFE	Finish: Ni/Au/Nat	Gen Tol +/- 0.20	DO NOT SCALE		
				<small>Unit of measure: millimetres(mm)</small>		
RoHS Compliant	Designed by P. Fayers	Checked by	Approved by	Date	©2016	Date 06-Sep-16
					A3	
This document and all the data contained herein is and shall remain the property of Cambridge Electronic Industries Ltd and may not be used or copied for any purpose whatsoever without the written permission of Cambridge Electronic Industries Ltd.					BNC 12G Cable Socket B1694A	
XBT-1066-NGAS (NPF 6916)					Issue 1.0	Sheet 1 / 2



6 5 4 3 2 1



SECTION A-A
SCALE 5 : 1

PARTS LIST		
ITE	QTY	DESCRIPTION
1	1	BNC Body
2	1	Insulator
3	1	Rear Crimp Ferrule
4	1	Contact
6	1	Crimp Sleeve

Design Right Protected	Material: Brass/P.Bronze/PTFE		Finish: Ni/Au/Nat	Gen Tol +/- 0.20	DO NOT SCALE				
Third Angle Projection	Designed by P. Fayers	Checked by	Approved by	Date	©2010	Date 29/07/2010	A3		
	RoHS Compliant		C.E.I. Ltd	BNC 3G Female Belden 1855A					
This document and all the data contained herein is and shall remain the property of Cambridge Electronic Ind. Ltd and may not be used or copied for any purpose whatsoever without the written permission of Cambridge Electronic Ind. Ltd.									
XBT-1066-NGBA			Issue 1.1	Sheet 1 / 2					

